



**National Institute of Pharmaceutical Education and Research
(NIPER)**

Sector 67, S. A. S. Nagar, Punjab-160062

Telephone No. 2214682-87, Fax No. 0172-2214692,2230068

No. NIPER/PUR/NIQ42/EE/

Date 02.03.2017

Name of Work: Repair and Maintenance of Electrical Work in Block B- 213 at NIPER, SAS Nagar

NIPER intends to get the work of Repair and Maintenance Work in Block B- 213 at NIPER, SAS Nagar, Detailed BOQ is enclosed for your reference.

You are, therefore, requested to send your offer for the same. Rates should be quoted in enclosed BOQ only duly stamped and signed by the authorized signatory. Your quotation superscribed as **“Quotation for Repair and Maintenance Work in Block B- 213 at NIPER, SAS Nagar Due on 27.03.2017”** should reach **Reception Counter in the Secretariat Building of NIPER on or before 27.03.2017 upto 3.00 p.m. to be opened on 27.03.2017 at 3.30 p.m. in the Conference Room on the first floor of Administrative Bhawan of NIPER.** The other terms and conditions like payment terms & taxes etc. should be clearly specified. The completion period for this work is one month.

Yours faithfully

For Director NIPER

BOQ for Electrical balance Repair/ Maintenance Works damaged due to Fire in Block B, NIPER, S.A.S Nagar

S. No.	Refer DSR 2014	Description of Items	Qty	Unit	Rate	Amount
1	1.8.3	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sqmm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sqmm FR PVC insulated copper conductor single core cable etc as required.	20	No		
2	1.14.2	2x2.5 sqmm + 1x2.5 sqmm earth wire from DB to switch board.	50	Metre		
3	1.12	Wiring for light/power point plug with 2x4 sqmm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit along with 1 No 4sqmm FR PVC insulated copper conductor single core cable for loop earthing as required. (Power point wiring 15 Amp from DB to point)	150	Metre		
4	1.14	Wiring for circuit/ sub main wiring along with earth wire with the following sizes of FR PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. (Light point wiring 5 Amp from DB to point).				
	1.14.2	2x2.5 sqmm + 1x2.5mm earth wire	80	Metre		
5	1.29	Supply and fixing metal box of 150mm x 75mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 3 pin 5/6 Amps socket outlet and 5/6 Amps piano type switch, connection, painting etc as required. (For light plugs to be used in non residential buildings).	6	No		
6	1.3	Supply and fixing metal box of 180mm x 100mm x 60mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 Amps socket outlet and 15/16 Amps piano type switch, connection, painting etc as required.	15	No		
					Total Rs.	

Proper Letter pad should be used as forwarding letter mentioning name Address, Contract Numbers, Sales tax, Copy PAN and TIN Number alongwith this quotation

Signature & Seal of Vendor

